

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|--|----------------------|-------------------------|------------------|
| 10/698,445 | 11/03/2003 | Yu-Fa Wu | MR1683-509 | 3742 |
| 4586 | 6 7590 05/10/2005 | | EXAMINER | |
| | RG, KLEIN & LEE | CARTAGENA, MELVIN A | | |
| | 3458 ELLICOTT CENTER DRIVE-SUITE 101 ELLICOTT CITY, MD 21043 | | | PAPER NUMBER |
| | | | 3754 | |
| | | | DATE MAILED: 05/10/2005 | |

Please find below and/or attached an Office communication concerning this application or proceeding.

| Office Action Summary | | Application No. | Applicant(s) | | | |
|---|--|--|---|--|--|--|
| | | 10/698,445 | WU, YU-FA | | | |
| | | Examiner | Art Unit | | | |
| | | Melvin A. Cartagena | 3754 | | | |
| Period fo | - The MAILING DATE of this communical r Reply | tion appears on the cover sheet with | the correspondence address | | | |
| THE N - Exten after to - If the - If NO - Failur Any re | DRTENED STATUTORY PERIOD FOR MAILING DATE OF THIS COMMUNICA sions of time may be available under the provisions of 3 6IX (6) MONTHS from the mailing date of this communic period for reply specified above is less than thirty (30) day period for reply is specified above, the maximum statuto the to reply within the set or extended period for reply will, eply received by the Office later than three months after digital patent term adjustment. See 37 CFR 1.704(b). | ATION. 7 CFR 1.136(a). In no event, however, may a reply sation. ays, a reply within the statutory minimum of thirty (3) ry period will apply and will expire SIX (6) MONTHS by statute, cause the application to become ABANI | be timely filed 0) days will be considered timely. 5 from the mailing date of this communication. DONED (35 U.S.C. § 133). | | | |
| Status | | | | | | |
| 1) | Responsive to communication(s) filed of | on | | | | |
| 2a) | This action is FINAL . 2b) This action is non-final. | | | | | |
| 3) 🗌 | Since this application is in condition for allowance except for formal matters, prosecution as to the ments is | | | | | |
| | closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. | | | | | |
| Dispositi | on of Claims | | | | | |
| 4) 🖾 | Claim(s) <u>1-7</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. | | | | | |
| • | | | | | | |
| 5) | Claim(s) is/are allowed. | | | | | |
| | Claim(s) <u>1-7</u> is/are rejected. | | | | | |
| | Claim(s) is/are objected to. | | | | | |
| 8)[| Claim(s) are subject to restriction | n and/or election requirement. | | | | |
| Applicati | on Papers | • | | | | |
| • | 9) The specification is objected to by the Examiner. | | | | | |
| • | 10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner. | | | | | |
| | Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). | | | | | |
| | Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. | | | | | |
| 11)[_] | The path of declaration is objected to by | y the Examiner. Note the attached C | Mice Action of form PTO-132. | | | |
| Priority u | nder 35 U.S.C. § 119 | | | | | |
| a)[| Acknowledgment is made of a claim for All b) Some * c) None of: 1. Certified copies of the priority docay. 2. Certified copies of the priority docay. 3. Copies of the certified copies of the application from the International ee the attached detailed Office action for the certified copies of the attached detailed Office action for the attached detailed Office a | cuments have been received. cuments have been received in App the priority documents have been re Bureau (PCT Rule 17.2(a)). | lication No ceived in this National Stage | | | |
| Attachment | (s) | | | | | |
| 1) 🛛 Notice | e of References Cited (PTO-892) | 4) Interview Sum | nmary (PTO-413) | | | |
| 2) 🔲 Notic | fail Date mal Patent Application (PTO-152) | | | | | |
| | nation Disclosure Statement(s) (PTO-1449 or PTo No(s)/Mail Date | 5) ☐ Notice of Information (a) ☐ Other: | mai i atent Application (PTO-132) | | | |

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1-7 are rejected under 35 U.S.C. 102(b) as being anticipated by US Pub. No.: US 2001/0030203 A1 to Weber.

Weber shows a dispensing container as seen in Figs. 1-6, a body 12 with a stub 22 on top, where a draw device 28 is threaded and with a tampered to the center close bottom wall 30, a dimple 32 formed on the bottom wall, the tampered bottom walls and dimple are designed to retain and guide the liquid in the body to the inlet of a draw tube 34, the draw tube end that extends into the dimple has an slanted end, see Fig. 3, a seat 42 attached by protrusion 36 and cutout 54 to the closed bottom of the body for perpendicular standing of the body on a supporting surface.

Conclusion

- 3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Kline shows a dispenser bottle with internal pump. Smith shows a hand held, dip tube style liquid dispenser.
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melvin A. Cartagena whose telephone number is (571) 272-4924. The examiner can normally be reached on M-F (7:30AM to 4:00 PM).

Application/Control Number: 10/698,445 Page 3

Art Unit: 3754

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Y. Mar can be reached on (571) 272-4906. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MAC 4/15/05

MICHAEL MAR SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3700

Mishal Mar